


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "(pattern*<in>ab) <and> (match*<in>ab) <and> ((pose or attitude or post..."

e-mail

Your search matched **46** of **1168854** documents.A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.[» View Session History](#)[» New Search](#)

Modify Search

[» Key](#)

IEEE JNL IEEE Journal or Magazine

IEEE JNL IEEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEEE CNF IEEE Conference Proceeding

IEEE STD IEEE Standard

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

Select Article Information

- ☐ 1. **A combined feature-texture similarity measure for face alignment under varying**
Lixin Fan; Kah Kay Sung;
Computer Vision and Pattern Recognition, 2000. Proceedings. IEEE Conference on
Volume 1, 13-15 June 2000 Page(s):308 - 313 vol.1
[AbstractPlus](#) | Full Text: [PDF](#)(352 KB) IEEE CNF
- ☐ 2. **Face detection and rotations estimation using color information**
Wu, H.; Fukumoto, T.; Chen, Q.; Yachida, M.;
Robot and Human Communication, 1996., 5th IEEE International Workshop on
11-14 Nov. 1996 Page(s):341 - 346
[AbstractPlus](#) | Full Text: [PDF](#)(764 KB) IEEE CNF
- ☐ 3. **Pose estimation of human face using synthesized model images**
Tsukamoto, A.; Chil-Woo Lee; Tsuji, S.;
Image Processing, 1994. Proceedings. ICIP-94., IEEE International Conference
Volume 3, 13-16 Nov. 1994 Page(s):93 - 97 vol.3
[AbstractPlus](#) | Full Text: [PDF](#)(360 KB) IEEE CNF
- ☐ 4. **Real-time pose estimation of an object manipulated by multi-fingered hand using vision and tactile sensing**
Honda, K.; Hasegawa, T.; Kiriki, T.; Matsuoka, T.;
Intelligent Robots and Systems, 1998. Proceedings., 1998 IEEE/RSJ International Con
Volume 3, 13-17 Oct. 1998 Page(s):1814 - 1819 vol.3
[AbstractPlus](#) | Full Text: [PDF](#)(500 KB) IEEE CNF
- ☐ 5. **Face recognition from multi-pose image sequence**
Biuk, Z.; Loncaric, S.;
Image and Signal Processing and Analysis, 2001. ISPA 2001. Proceedings of the 2nd
Symposium on
19-21 June 2001 Page(s):319 - 324
[AbstractPlus](#) | Full Text: [PDF](#)(428 KB) IEEE CNF
- ☐ 6. **Projective alignment with regions**
Basri, R.; Jacobs, D.W.;
Pattern Analysis and Machine Intelligence, IEEE Transactions on
Volume 23, Issue 5, May 2001 Page(s):519 - 527
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(468 KB) IEEE JNL

- ☐ **7. Face recognition under varying pose**
Beymer, D.J.;
Computer Vision and Pattern Recognition, 1994. Proceedings CVPR '94., 1994 IEEE Conference on
21-23 June 1994 Page(s):756 - 761
[AbstractPlus](#) | Full Text: [PDF](#)(652 KB) [IEEE CNF](#)

- ☐ **8. Recognition and localization of a 3D polyhedral object using a neural network**
Park, K.; Cannon, D.J.;
Robotics and Automation, 1996. Proceedings., 1996 IEEE International Conference on
Volume 4, 22-28 April 1996 Page(s):3613 - 3618 vol.4
[AbstractPlus](#) | Full Text: [PDF](#)(588 KB) [IEEE CNF](#)

- ☐ **9. Attributed relational graph matching by neural-gas networks**
Suganthan, P.N.;
Neural Networks for Signal Processing X, 2000. Proceedings of the 2000 IEEE Signal Processing Society Workshop
Volume 1, 11-13 Dec. 2000 Page(s):366 - 374 vol.1
[AbstractPlus](#) | Full Text: [PDF](#)(416 KB) [IEEE CNF](#)

- ☐ **10. Constructing facial identity surfaces in a nonlinear discriminating space**
Yongmin Li; Shaogang Gong; Liddell, H.;
Computer Vision and Pattern Recognition, 2001. CVPR 2001. Proceedings of the 2001 Society Conference on
Volume 2, 8-14 Dec. 2001 Page(s):II-258 - II-263 vol.2
[AbstractPlus](#) | Full Text: [PDF](#)(725 KB) [IEEE CNF](#)

- ☐ **11. Reliable image matching based on relative gradients**
Shang-Hong Lai; Shou-Der Wei;
Pattern Recognition, 2002. Proceedings. 16th International Conference on
Volume 2, 11-15 Aug. 2002 Page(s):802 - 805 vol.2
[AbstractPlus](#) | Full Text: [PDF](#)(397 KB) [IEEE CNF](#)

- ☐ **12. Satellite attitude acquisition using dual star sensors with a bootstrap filter**
Sangwoo Cho; Joohwan Chun;
Sensors, 2002. Proceedings of IEEE
Volume 2, 12-14 June 2002 Page(s):1723 - 1727 vol.2
[AbstractPlus](#) | Full Text: [PDF](#)(503 KB) [IEEE CNF](#)

- ☐ **13. Star-configuration searching for satellite attitude computation**
Baldini, D.; Barni, M.; Foggi, A.; Benelli, G.; Mecocci, A.;
Aerospace and Electronic Systems, IEEE Transactions on
Volume 31, Issue 2, April 1995 Page(s):768 - 777
[AbstractPlus](#) | Full Text: [PDF](#)(808 KB) [IEEE JNL](#)

- ☐ **14. Perceiving spatial relationships in computer-generated images**
Wanger, L.R.; Ferwerda, J.A.; Greenberg, D.P.;
Computer Graphics and Applications, IEEE
Volume 12, Issue 3, May 1992 Page(s):44 - 58
[AbstractPlus](#) | Full Text: [PDF](#)(2660 KB) [IEEE JNL](#)

- ☐ **15. Point fingerprint: a new 3-D object representation scheme**
Yiyong Sun; Joonki Paik; Koschan, A.; Page, D.L.; Abidi, M.A.;
Systems, Man and Cybernetics, Part B, IEEE Transactions on
Volume 33, Issue 4, Aug. 2003 Page(s):712 - 717
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(662 KB) [IEEE JNL](#)

- ☐ **16. GVSPM for reconstruction in electrical impedance tomography**
Dong, G.Y.; Endo, H.; Hayano, S.; Gao, S.K.; Saito, Y.;
Magnetics, IEEE Transactions on
Volume 39, Issue 3, May 2003 Page(s):1630 - 1633
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(885 KB\)](#) IEEE JNL

- ☐ **17. Structural pattern recognition using genetic algorithms with specialized operators**
Khoo, K.G.; Suganthan, P.N.;
Systems, Man and Cybernetics, Part B, IEEE Transactions on
Volume 33, Issue 1, Feb. 2003 Page(s):156 - 165
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(696 KB\)](#) IEEE JNL

- ☐ **18. Generation of anisotropic-smoothness regularization filters for EIT**
Borsic, A.; Lionheart, W.R.B.; McLeod, C.N.;
Medical Imaging, IEEE Transactions on
Volume 21, Issue 6, June 2002 Page(s):579 - 587
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(330 KB\)](#) IEEE JNL

- ☐ **19. On the relation of order-statistics filters and template matching: optimal morphological recognition**
Schonfeld, D.;
Image Processing, IEEE Transactions on
Volume 9, Issue 5, May 2000 Page(s):945 - 949
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(240 KB\)](#) IEEE JNL

- ☐ **20. Exploring texture ensembles by efficient Markov chain Monte Carlo-Toward a "theory of texture"**
Zhu, S.C.; Liu, X.W.; Wu, Y.N.;
Pattern Analysis and Machine Intelligence, IEEE Transactions on
Volume 22, Issue 6, June 2000 Page(s):554 - 569
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(4700 KB\)](#) IEEE JNL

- ☐ **21. Feature-adaptive motion tracking of ultrasound image sequences using a deformable model**
Fai Yeung; Levinson, S.F.; Dongshan Fu; Parker, K.J.;
Medical Imaging, IEEE Transactions on
Volume 17, Issue 6, Dec. 1998 Page(s):945 - 956
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(572 KB\)](#) IEEE JNL

- ☐ **22. Design of nearest prototype signal classifiers (Corresp.)**
Gardner, W.;
Information Theory, IEEE Transactions on
Volume 27, Issue 3, May 1981 Page(s):368 - 372
[AbstractPlus](#) | Full Text: [PDF\(952 KB\)](#) IEEE JNL

- ☐ **23. Computation in the Higher Visual Cortices: Map-Seeking Circuit Theory and Application to Machine Vision**
Arathorn, D.;
Applied Imagery Pattern Recognition Workshop, 2004. Proceedings. 33rd
13-15 Oct. 2004 Page(s):73 - 78
[AbstractPlus](#) | Full Text: [PDF\(464 KB\)](#) IEEE CNF

- ☐ **24. sTuples: semantic tuple spaces**
Khushraj, D.; Lassila, O.; Finin, T.;
Mobile and Ubiquitous Systems: Networking and Services, 2004. MOBIQUITOUS 2004.
Annual International Conference on
22-26 Aug. 2004 Page(s):268 - 277

[AbstractPlus](#) | Full Text: [PDF](#)(421 KB) IEEE CNF



25. Robust extended Kalman filter applied to location tracking and trajectory predict networks

Pathirana, P.N.; Savkin, A.V.; Jha, S.;
Control Applications, 2004. Proceedings of the 2004 IEEE International Conference on
Volume 1, 2-4 Sept. 2004 Page(s):63 - 68 Vol.1

[AbstractPlus](#) | Full Text: [PDF](#)(704 KB) IEEE CNF



indexed by
 Inspec*

[Help](#) [Contact Us](#) [Privacy & :](#)

© Copyright 2005 IEEE -



[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

pose model pattern matching image

Search

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 10 of about 607,000 for **pose model pattern matching image**. (0.28 seconds)

Tip: Looking for pictures? Try [Google Images](#)

[PS] **Pose Space Constraints for Pattern Matching with Genetic ...**

File Format: Adobe PostScript - [View as Text](#)

However in **pattern matching** problems using line segment as **image** features, ...

Once the **pose** is obtained the **model** could be transformed to **match** its ...

[saato014.hut.fi/Hyotyniemil/publications/99_arpakannus/Li.ps](#) - [Similar pages](#)

[PDF] **Geometrical Constraints for Object Recognition Using Genetic ...**

File Format: PDF/Adobe Acrobat

guide the **pattern matching** process for **image** registration. and object location.

... The **match** of **model**. feature M to **image** feature I thus gives a **pose** ...

[doi.ieeecomputersociety.org/10.1109/ICIS.1999.810317](#) - [Similar pages](#)

[PDF] **Probabilistic Matching of Image- to Model-Features for Real-time ...**

File Format: PDF/Adobe Acrobat

of the **model** (commonly lines) into the **image** and to **match** ... **pose** estimate,

which is provided at the rate of **image** acqui- ...

[doi.ieeecomputersociety.org/10.1109/ICPR.2002.1048033](#) - [Similar pages](#)

[[More results from doi.ieeecomputersociety.org](#)]

Citations: Fast recognition using adaptive subdivisions of ...

Model-Based Pose Proposal for 2-D Object Recognition - Hemant Tagare (Correct)

... The **match** between a **model** and an **image** is defined as the optimal ...

[citeseer.csail.mit.edu/context/218722/0](#) - 49k - [Cached](#) - [Similar pages](#)

Model Based Image Interpretation Investigators: Andrew Wallace ...

Matching Models to 2D and 3D Image Data ... A candidate **pose** and object identity

can be computed from any minimal subset of matched **model** and scene features ...

[www.cee.hw.ac.uk/Vision/models.html](#) - 14k - [Cached](#) - [Similar pages](#)

Welcome to IEEE Xplore 2.0: Precise matching of 3-D target models ...

Errors in registration between **images** are also corrected during **matching**. ...

models to images," IEEE Trans. **Pattern Anal. Machine Intell.**, vol. 13, no. ...

[ieeexplore.ieee.org/xpls/abs_all.jsp?arnumber=552102](#) - [Similar pages](#)

[PPT] **Ongoing Work: Recovering Photometric Properties**

File Format: Microsoft Powerpoint 97 - [View as HTML](#)

Image-based Modeling and Rendering. Vary viewpoint. Vary lighting ... Finding Targets

in **Images**. **Pattern matching** followed by ellipse fitting ...

[www.cs.berkeley.edu/~ferencz/talks/yuFerenczMalikRange.ppt](#) - [Similar pages](#)

3-D Pose from 3 Points Using Weak-Perspective

This correspondence discusses computing the **pose** of a **model** from three **matching**

point ... **matching**" in *Proc. IEEE Conf. Comput. Vision Pattern Recognit.* ...

[portal.acm.org/citation.cfm?id=628638](#) - [Similar pages](#)

Efficient Pose Clustering Using a Randomized Algorithm

Matching images to models for registration and object detection via clustering.

IEEE Transactions on Pattern Analysis and Machine Intelligence, ...

portal.acm.org/citation.cfm?id=257963 - [Similar pages](#)
[[More results from portal.acm.org](#)]

[PDF] [Geometry-based Automatic Object Localization and 3-D Pose Detection](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

3-D model of a depicted object, its apparent size, image co- ... Pose estimation
by directly match-. ing polyhedral models to gray value gradients. ...

www.mpi-sb.mpg.de/~magnor/publications/ssiai02.pdf - [Similar pages](#)

Google

Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)

Free! Google Desktop Search: Search your own computer. [Download now.](#)

Find:  emails -  files -  chats -  web history -  media -  PDF

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

pose model pattern matching image

Search

[Advanced Search](#)
[Preferences](#)
Web

Results 11 - 20 of about 607,000 for pose model pattern matching image. (0.06 seconds)

Tip: Looking for pictures? Try [Google Images](#)Paper: Author Guidelines for 8 :: foobar

Pattern matching can be done by estimating **pose** and illumination ... The resulting 2-D **image** of the **model** can be compared to the sample **image** using the ...

computing.breinstorm.net/ biometric+systems+fingerprint+facial+speaker/ - 29k - [Cached](#) - [Similar pages](#)

[PDF] Face Recognition from Multi-Pose Image SequenceFile Format: PDF/Adobe Acrobat - [View as HTML](#)

pose image sequence is presented in this paper. In this. approach faces are represented by their ... between object **pattern** and 2 **model patterns**,. Subject ...

www.face-rec.org/algorithms/Video/ispa01face.pdf - [Similar pages](#)

Keith Price Bibliography Point Based Pose Estimation and Recognition

Parameterized Point **Pattern Matching** and Its Application to Recognition of Object Families, ... **Match image** and **model** triangles to get **pose**. BibRef 9211 ...

iris.usc.edu/Vision-Notes/bibliography/match-pl512.html - 41k - [Cached](#) - [Similar pages](#)

Image and Vision Computing, Volume 20

Model-based 3D hand posture estimation from a single 2D **image**. 191-202 ...

A cascaded genetic algorithm for efficient optimization and **pattern matching**. ...

www.informatik.uni-trier.de/~ley/db/journals/ivc/ivc20.html - 46k - [Cached](#) - [Similar pages](#)

Contents of the Model

The 3D **model** contains the location of key points on the face in a 3D coordinate system ... **pattern matching**, and other low level **image** analysis algorithms. ...

www.vincent-net.com/gaile/papers/ZurichPaper/node3.html - 4k - [Cached](#) - [Similar pages](#)

[PDF] Author Guidelines for 8File Format: PDF/Adobe Acrobat - [View as HTML](#)

a better **model** will result. **Pattern matching** can be done. by estimating **pose** and illumination direction from a. sample 2-D **image**, then "posing" and ...

akhisar.sdsu.edu/abut/icip02jlw.pdf - [Similar pages](#)

[PPT] Ongoing Work: Recovering Photometric PropertiesFile Format: Microsoft Powerpoint 97 - [View as HTML](#)

Finding Targets in **Images**. **Pattern matching** followed by ellipse fitting ...

Find camera **pose** from matched points. Remove targets from **images** and fill in ...

www-sal.cs.uiuc.edu/~yyz/slides/eobj.ppt - [Similar pages](#)

Download Publications

... "A mixture **model** for **pose** clustering", **Pattern Recognition Letters**, ...

Finch+Hancock 95b: AMFinch,ERHancock, "Matching Delaunay Graphs", **Image Analysis** ...

www.cs.york.ac.uk/cvpr/download_papers.php - 19k - [Cached](#) - [Similar pages](#)

MRF Modeling in Computer Vision

The 2nd edition, entitled Markov Random Field **Modeling** in **Image Analysis** is ...

5.3.1 **Pose** Clustering and Estimation; 5.3.2 Simultaneous **Matching** and **Pose** ...

www.nlpr.ia.ac.cn/users/szli/MRF_Book/MRF_Book.html - 16k - [Cached](#) - [Similar pages](#)

[PDF] **Matching 3D Models with Shape Distributions**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

shape **matching** methods that require **pose** registration, fea- ... Images of the ten 3D **models** used in our initial robustness experiments. ...

www.cs.princeton.edu/~funk/smi01.pdf - [Similar pages](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

true pose model pattern matching image

Search

[Advanced Search](#)
[Preferences](#)
WebResults 1 - 10 of about **519,000** for **true pose model pattern matching image**. (0.07 seconds)Tip: Looking for pictures? Try [Google Images](#)

Sponsored Links

[PDF] [FACE RECOGNITION USING VIDEO CLIPS AND MUG SHOTS 1 Introduction](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

is performed based on **pattern matching** of the **image**. chips. A number of different algorithms could ... Because of the difficulty measuring the **true pose** of ...

www.vincent-net.com/gaile/papers/ONDCPPaper/ONDCPPaper.pdf -

[Similar pages](#)

[L'Oréal True Match™](#)

Super-blendable makeup -

Find your shade online today!

www.lorealtruematch.com

[PS] [FACE RECOGNITION USING VIDEO CLIPS AND MUG SHOTS Gaile G ...](#)

File Format: Adobe PostScript - [View as Text](#)

... with a reference **model** is performed based on **pattern matching** of the **image** chips. ...

Because of the difficulty measuring the **true pose** of a human head, ...

www.vincent-net.com/gaile/papers/ONDCPPaper/ONDCPPaper.ps - [Similar pages](#)

[PDF] [Face Recognition from Multi-Pose Image Sequence](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

pose image sequence is presented in this paper. In this. approach faces are represented by their ... between object **pattern** and **2 model patterns**.. Subject ...

www.face-rec.org/algorithms/Video/ispa01face.pdf - [Similar pages](#)

[PDF] [Geometry-based Automatic Object Localization and 3-D Pose Detection](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

independent of position in the **image** plane. Unfortunately,. this is **true** only ... **Pose** estimation by directly **match**-. ing polyhedral **models** to gray value ...

www.mpi-sb.mpg.de/~magnor/publications/ssiai02.pdf - [Similar pages](#)

Citations: [Fast recognition using adaptive subdivisions of ...](#)

[Model-Based Pose Proposal for 2-D Object Recognition - Hemant Tagare \(Correct\) ...](#) The **match** between a **model** and an **image** is defined as the optimal ...

citeseer.csail.mit.edu/context/218722/0 - 49k - [Cached](#) - [Similar pages](#)

[PDF] [Simultaneous pose and correspondence determination using line ...](#)

File Format: PDF/Adobe Acrobat

ing **matching image** features and **model** features. If. the object **pose** is known, one can relatively easily ... **true image** lines and the projected **model** lines. ...

ieeexplore.ieee.org/iel5/8603/27266/01211499.pdf?arnumber=1211499 - [Similar pages](#)

[PDF] [ICPR'00: Assessing different features for pose refinement](#)

File Format: PDF/Adobe Acrobat

A perfect **match** occurs when the. **model** features map onto the **image** features giving distances ... between **model pose** and the **image** is determined by exam- ...

doi.ieeecomputersociety.org/10.1109/ICPR.2000.903637 - [Similar pages](#)

[Paper: Techreport.dvi ::](#)

Optical Linear Feature Detection Based on **Model Pose** ... The **model matching** process will be more robust if there is a one-to-one correspondence between ...

computing.breinstorm.net/model+feature+colostate+edu+university/ - 20k -

[Cached](#) - [Similar pages](#)

[PDF] [Learning Blackboard-based Scheduling Algorithms for Computer Vision](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

An example of a VKS is a **pattern matching** algorithm that determines the ... Dimensional **Model Matching**," Proc. of the DARPA Image Understanding Workshop, ...

www.cs.colostate.edu/~draper/publications/draper_ijprai93.pdf - [Similar pages](#)

[PDF] [AUTOMATED EXTRACTION OF FEATURES FROM CAD MODELS FOR 3D OBJECT ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

it has a possible **match** to both. and. or . While **pattern matching** ... The data base provided us with CAD **models** and range **images** for various simple parts. ...

www.ifp.uni-stuttgart.de/publications/2000/Boehm_Amsterdam.pdf - [Similar pages](#)

Google

Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)

Free! Google Desktop Search: Search your own computer. [Download now.](#)

Find:  emails -  files -  chats -  web history -  media -  PDF

true pose model pattern matching in [Search](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google



[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

true pose model geometric pattern matching image

[Search](#)

[Advanced Search](#)
[Preferences](#)

Web Results 1 - 10 of about **90,200** for **true pose model geometric pattern matching image**. (0.38 seconds)

Tip: Looking for pictures? Try [Google Images](#)

[Sponsored Links](#)

[PDF] [Geometry-based Automatic Object Localization and 3-D Pose Detection](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

To find an object's position and **pose** in the **image**, the edge ... of the object's 3-D **geometry model** to edge pixels in the im- ...

[www.mpi-sb.mpg.de/~magnor/publications/ssai02.pdf](#) - [Similar pages](#)

[Create Geometric Patterns](#)

Easily make **geometric** designs in Adobe Illustrator. **Pattern** plug-in! [artlandia.com/symmetryworks](#)

[PDF] [Machine Vision Performance: Impact on Semiconductor Equipment Yield](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

statistical similarity between a gray-level **model** – or reference **image** – of an ... The **true pose** does not change, and a good **geometric pattern matching** ...

[www.cognex.com/pdf/downloads/ Semiconductor_WhitePaper.pdf](#) - [Similar pages](#)

[Citations: Fast recognition using adaptive subdivisions of ...](#)

A Practical, Globally Optimal Algorithm for **Geometric Matching**. ... The **match** between a **model** and an **image** is defined as the optimal translation and scaling ...

[citeseer.csail.mit.edu/context/218722/0](#) - 49k - [Cached](#) - [Similar pages](#)

[PDF] [FACE RECOGNITION USING VIDEO CLIPS AND MUG SHOTS 1 Introduction](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

motion algorithm which produces estimates of 3D **geometry** and **pose**. The **geometry** and **pose** ... is performed based on **pattern matching** of the **image** ...

[www.vincent-net.com/gaile/ papers/ONDCPPaper/ONDCPPaper.pdf](#) - [Similar pages](#)

[PS] [FACE RECOGNITION USING VIDEO CLIPS AND MUG SHOTS Gaile G ...](#)

File Format: Adobe PostScript - [View as Text](#)

... with a reference **model** is performed based on **pattern matching** of the **image** chips. ...

Because of the difficulty measuring the **true pose** of a human head, ...

[www.vincent-net.com/gaile/ papers/ONDCPPaper/ONDCPPaper.ps](#) - [Similar pages](#)

[PDF] [Face Recognition from Multi-Pose Image Sequence](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

pose image sequence is presented in this paper. In this. approach faces are represented by their ... between object **pattern** and 2 **model patterns**.. Subject ...

[www.face-rec.org/algorithms/Video/ispa01face.pdf](#) - [Similar pages](#)

[IEEE Transactions on Pattern Analysis and Machine Intelligence ...](#)

Sampling of **Images** for Efficient **Model**-Based Vision. 4-11 ... Approximate **Geometric**

Pattern Matching Under Rigid Motions. 371-379 ...

[ftp.informatik.uni-trier.de/~ley/db/journals/pami/pami21.html](#) - 80k - [Cached](#) - [Similar pages](#)

[PDF] [Automated Texture Mapping of 3D City Models With Oblique Aerial ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

register the **images** with the **model** by **matching** line. segments. Then, for each triangle of ... Figure 4 shows the rating function around the **true pose**. As ...

[www-video.eecs.berkeley.edu/papers/frueh/3dpvt2004.pdf](#) - [Similar pages](#)

[PPT] [General](#)

File Format: Microsoft Powerpoint 97 - [View as HTML](#)

Pattern matching (binary images). Internal vs. external corners; ... Requires model-feature correspondences. Local feature focus method. **Pose clustering** ...
cs.hiram.edu/~walkerel/cs320/lectures/summary.ppt - [Similar pages](#)

[PDF] [Automated Person Identification in Video](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

frontal faces **pattern matching** methods can be used to classify an image ... Given an estimated **pose**, a set of **images** is proposed by the **models** of each ...

www.robots.ox.ac.uk/~vgg/publications/papers/everingham04.pdf - [Similar pages](#)

Google

Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)

Free! Get the Google Toolbar. [Download Now](#) - [About Toolbar](#)



true pose model geometric pattern n [Search](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

true pose model geometric pattern matching image

Search

[Advanced Search](#)
[Preferences](#)
Web Results 11 - 20 of about **90,200** for **true pose model geometric pattern matching image**. (0.15 seconds)

 Tip: Looking for pictures? Try [Google Images](#)

Sponsored Links

Paper: Paper ::

A set of possible **models** together with their respective **poses** can be ...
 Verification: Candidate **matching models** are projected onto the **image** for
 nal ...

computing.breinestorm.net/ model+method+edu+invariant+image/ - 23k -

[Cached](#) - [Similar pages](#)

Create Geometric Patterns

Easily make **geometric** designs in
 Adobe Illustrator. **Pattern** plug-in!
artlandia.com/symmetryworks

[PDF] Automated texture mapping of 3D city models with oblique aerial ...

File Format: PDF/Adobe Acrobat

mapping the **model**. However, even for the correct **pose**, not. all **image** lines and 3D lines
match perfectly due to. inaccuracies in the 3D **model** such as ...

dx.doi.org/10.1109/TDPVT.2004.1335266 - [Similar pages](#)

[PDF] Geometry-based Automatic Object Localization and 3-D Pose Detection

File Format: PDF/Adobe Acrobat

To find the best-**matching** position for out-. line. A. **pose**. in the **image**, the coordinates ...
 of the object's 3-D **geometry model** to edge pixels in the im- ...

doi.ieeecomputersociety.org/10.1109/IAI.2002.999907 - [Similar pages](#)

[PDF] 3-D Model Construction Using Range and Image Data Ioannis Stamos ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

dense range points but a **true geometric CAD model**. with associated **image** textures ...
 large **pose-mosaic** dataset. In Computer Vision and. **Pattern** Recognition ...

www.cs.columbia.edu/~allen/PAPERS/cvpr2000.pdf - [Similar pages](#)

[PDF] SoftPOSIT: Simultaneous Pose and Correspondence Determination

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Given **matching model** and. **image** features, one can determine the **pose** ... JR Beveridge
 & EM Riseman, "Optimal Geometric Model Matching Under Full 3D Per- ...

lampsrv01.umiaccs.umd.edu/pubs/Papers/ECCV02-SoftPOSIT/ECCV02-SoftPOSIT.pdf -

[Similar pages](#)

[PDF] Simultaneous pose and correspondence determination using line ...

File Format: PDF/Adobe Acrobat

ing **matching image** features and **model** features. If. the object **pose** is known, one can
 relatively easily ... **true image** lines and the projected **model** lines. ...

ieeexplore.ieee.org/iel5/8603/27266/01211499.pdf?arnumber=1211499 - [Similar pages](#)

[PDF] Geometric probing of dense range data - Pattern Analysis and ...

File Format: PDF/Adobe Acrobat

Geometric Probing is a minimalist form of **pose** determi- ... **Matching** Embedded in
 Discrete Relaxation,° IEEE Trans. **Pattern**. Analysis and Machine Intelligence ...

ieeexplore.ieee.org/iel5/34/21430/00993557.pdf?arnumber=993557 - [Similar pages](#)

Geometry and texture recovery of scenes of large scale

The output is a **true** texture-mapped **geometric model** of the scene. ... 30 David W.

Jacobs, **Matching 3-D Models to 2-D Images**, International Journal of ...

portal.acm.org/citation.cfm?id=637135 - [Similar pages](#)

[PDF] Computer vision-based registration techniques for augmented ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

points are matched to 3-D points from the MRI or CT model, and the pose of the head ...
the target points are arranged in a distinctive **geometric pattern**. ...

egweb.mines.edu/whoff/projects/augmented/spie1996.pdf - [Similar pages](#)

[PDF] **Geometric Hashing: An Overview**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Model Matching: Geometric Hashing on the Connection Machine, "Computer, Vol. 25,
No. 2, Feb. ... ject Recognition and **Pose**," IEEE Trans. **Pattern** ...

www.cs.princeton.edu/courses/archive/fall03/cs597D/papers/wolfson97.pdf - [Similar pages](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

(pose or attitude or posture) <sentence> pattern* <sentence>


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used

[pose](#) or [attitude](#) or [posture](#) [sentence](#) [pattern](#) [sentence](#) [match](#)

Found 12,221 of 156,259

Sort results by

☒ Save results to a Binder

[Try an Advanced Search](#)

Display results

☒ Search Tips

[Try this search in The ACM Guide](#)
☐ Open results in a new window

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Special issue on knowledge representation](#)

 Ronald J. Brachman, Brian C. Smith
 February 1980 **ACM SIGART Bulletin**, Issue 70

 Full text available: [pdf\(13.13 MB\)](#) Additional Information: [full citation](#), [abstract](#)

In the fall of 1978 we decided to produce a special issue of the SIGART Newsletter devoted to a survey of current knowledge representation research. We felt that there were two useful functions such an issue could serve. First, we hoped to elicit a clear picture of how people working in this subdiscipline understand knowledge representation research, to illuminate the issues on which current research is focused, and to catalogue what approaches and techniques are currently being developed. Secon ...

2 [Relaxation techniques for parsing grammatically ill-formed input in Natural Language Understanding Systems](#)

 Stan C. Kwasny, Norman K. Sondheimer
 April 1981 **Computational Linguistics**, Volume 7 Issue 2

 Full text available: [pdf\(1.02 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)
[Publisher Site](#)

This paper investigates several language phenomena either considered deviant by linguistic standards or insufficiently addressed by existing approaches. These include co-occurrence violations, some forms of ellipsis and extraneous forms, and conjunction. Relaxation techniques for their treatment in Natural Language Understanding Systems are discussed. These techniques, developed within the Augmented Transition Network (ATN) model, are shown to be adequate to handle many of these cases.

3 [Special issue: AI in engineering](#)

 D. Sriram, R. Joobhani
 January 1985 **ACM SIGART Bulletin**, Issue 91


 Full text available: [pdf\(8.79 MB\)](#) Additional Information: [full citation](#), [abstract](#)

The papers in this special issue were compiled from responses to the announcement in the July 1984 issue of the SIGART newsletter and notices posted over the ARPAnet. The interest being shown in this area is reflected in the sixty papers received from over six countries. About half the papers were received over the computer network.

4 Translator writing systems

Jerome Feldman, David Gries

February 1968 **Communications of the ACM**, Volume 11 Issue 2

Full text available:  [pdf\(4.47 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)

A critical review of recent efforts to automate the writing of translators of programming languages is presented. The formal study of syntax and its application to translator writing are discussed in Section II. Various approaches to automating the postsyntactic (semantic) aspects of translator writing are discussed in Section III, and several related topics in Section IV.

Keywords: compiler compiler-compiler, generator, macroprocessor, meta-assembler, metacompiler, parser, semantics, syntactic analysis, syntax, syntax-directed, translator, translator writing system



5 The berkeley UNIX consultant project

Robert Wilensky, David N. Chin, Marc Luria, James Martin, James Mayfield, Dekai Wu

December 1988 **Computational Linguistics**, Volume 14 Issue 4

Full text available:  [pdf\(4.41 MB\)](#) 

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)

[Publisher Site](#)

UC (UNIX Consultant) is an intelligent, natural language interface that allows naive users to learn about the UNIX² operating system. UC was undertaken because the task was thought to be both a fertile domain for artificial intelligence (AI) research and a useful application of AI work in planning, reasoning, natural language processing, and knowledge representation. The current implementation of UC comprises the following components: a language analyzer, called ALANA, produces a repre ...



6 Spoken dialogue technology: enabling the conversational user interface

Michael F. McTear

March 2002 **ACM Computing Surveys (CSUR)**, Volume 34 Issue 1

Full text available:  [pdf\(987.69 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

Spoken dialogue systems allow users to interact with computer-based applications such as databases and expert systems by using natural spoken language. The origins of spoken dialogue systems can be traced back to Artificial Intelligence research in the 1950s concerned with developing conversational interfaces. However, it is only within the last decade or so, with major advances in speech technology, that large-scale working systems have been developed and, in some cases, introduced into commerc ...

Keywords: Dialogue management, human computer interaction, language generation, language understanding, speech recognition, speech synthesis



7 The Emotional Wardrobe

Lisa Stead, Petar Goulev, Caroline Evans, Ebrahim Mamdani

July 2004 **Personal and Ubiquitous Computing**, Volume 8 Issue 3-4

Full text available:  [pdf\(492.42 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [index terms](#)

Since the industrial revolution, fashion and technology have been linked through the textile and manufacturing industries, a relationship that has propelled technical innovation and aesthetic and social change. Today, a new alliance is emerging through the integration of electronic technology and smart materials on the body. This study addresses the integration of technology with clothing from a fashion perspective, and examines its expressive and




interactive potential. It proposes the concept o ...

Keywords: Affective computing, AffectiveWare, Electroluminescence, Emotional Wardrobe, Emotional design, Fashion

8 A finite and real-time processor for natural language

Glenn D. Blank

October 1989 **Communications of the ACM**, Volume 32 Issue 10

Full text available:  [pdf\(2.10 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

People process natural language in real time and with very limited short-term memories. This article describes a computational architecture for syntactic performance that also requires fixed finite resources.



9 Intelligent computer systems for criminal sentencing

Uri J. Schild

May 1995 **Proceedings of the 5th international conference on Artificial intelligence and law**

Full text available:  [pdf\(843.19 KB\)](#) Additional Information: [full citation](#), [references](#), [index terms](#)



10 Sequential thematic organization of publications: how to achieve coherence in proposals and reports

J. R. Tracey, D. E. Rugh, W. S. Starkey

August 1999 **ACM SIGDOC Asterisk Journal of Computer Documentation**, Volume 23 Issue 3



Full text available:  [pdf\(3.80 MB\)](#) Additional Information: [full citation](#), [index terms](#)



11 An implementable semantics for comparative constructions

Manny Rayner, Amelie Banks

June 1990 **Computational Linguistics**, Volume 16 Issue 2

Full text available:  [pdf\(2.42 MB\)](#)  Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)
[Publisher Site](#)


We describe a comprehensive treatment of the syntax and semantics of comparative constructions based on theoretical work by Pinkham, which can be implemented in a relatively straightforward fashion within a feature-based phrase-structure grammar. Comparatives are divided up into "clausal" and "phrasal" constructions; in contrast to most previous theories, however, phrasals are not regarded as reduced forms of clausals. We begin by defining a Montagovian semantics for phrasal comparatives that di ...



12 Natural language with discrete speech as a mode for human-to-machine

Alan W. Biermann, Robert D. Rodman, David C. Rubin, J. Francis Heidlage

June 1985 **Communications of the ACM**, Volume 28 Issue 6

Full text available:  [pdf\(1.04 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

A voice interactive natural language system, which allows users to solve problems with spoken English commands, has been constructed. The system utilizes a commercially available discrete speech recognizer which requires that each word be followed by approximately a 300 millisecond pause. In a test of the system, subjects were able to learn its use after about two hours of training. The system correctly processed about 77 percent




of the over 6000 input sentences spoken in problem-solving se ...

13 Bidirectional contextual resolution

Stephen G. Pulman

December 2000 **Computational Linguistics**, Volume 26 Issue 4

Full text available:



Additional Information: [full citation](#), [abstract](#), [references](#)

[Publisher Site](#)


This paper describes a formalism and implementation for the interpretation and generation of sentences containing context-dependent constructs like determiners, pronouns, focus, and ellipsis. A variant of quasi-logical form is used as an underspecified meaning representation, related to resolved logical forms via conditional equivalences. These equivalences define the interpretation of contextually dependent constructs with respect to a given context. Higher-order unification and abduction are u ...

14 The FINITE STRING newsletter: Abstracts of current literature

Computational Linguistics Staff

January 1986 **Computational Linguistics**, Volume 12 Issue 1

Full text available:



Additional Information: [full citation](#)


[Publisher Site](#)

15 User modeling I: What would they think?: a computational model of attitudes

Hugo Liu, Pattie Maes

January 2004 **Proceedings of the 9th international conference on Intelligent user interface**

Full text available:



Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

A key to improving at any task is frequent feedback from people whose opinions we care about: our family, friends, mentors, and the experts. However, such input is not usually available from the right people at the time it is needed most, and attaining a deep understanding of someone else's perspective requires immense effort. This paper introduces a technological solution. We present a novel method for automatically modeling a person's attitudes and opinions, and a proactive interface called "Wh ...


Keywords: affective interfaces, affective memory, user modeling

16 A history of the SNOBOL programming languages

Ralph E. Griswold

January 1978 **ACM SIGPLAN Notices , The first ACM SIGPLAN conference on History of programming languages**, Volume 13 Issue 8

Full text available:





Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Development of the SNOBOL language began in 1962. It was followed by SNOBOL2, SNOBOL3, and SNOBOL4. Except for SNOBOL2 and SNOBOL3 (which were closely related), the others differ substantially and hence are more properly considered separate languages than versions of one language. In this paper historical emphasis is placed on the original language, SNOBOL, although important aspects of the subsequent languages are covered.

17 Lexical cohesion computed by thesaural relations as an indicator of the structure of text

Jane Morris, Graeme Hirst

March 1991 **Computational Linguistics**, Volume 17 Issue 1

Full text available:  pdf(1.72 MB)  Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)
[Publisher Site](#)

In text, lexical cohesion is the result of chains of related words that contribute to the continuity of lexical meaning. These lexical chains are a direct result of units of text being "about the same thing," and finding text structure involves finding units of text that are about the same thing. Hence, computing the chains is useful, since they will have a correspondence to the structure of the text. Determining the structure of text is an essential step in determining the deep meaning of the t ...

18 [The Computer in the Humanities and Fine Arts](#)

Sally Yeates Sedelow


June 1970 **ACM Computing Surveys (CSUR)**, Volume 2 Issue 2

Full text available:  pdf(2.01 MB) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

19 [Contributed papers: A semantics and pragmatics for the pluperfect](#)

Alex Lascarides, Nicholas Asher

April 1993 **Proceedings of the sixth conference on European chapter of the Association for Computational Linguistics**


Full text available:  pdf(903.63 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#)
[Publisher Site](#)

We offer a semantics and pragmatics of the pluperfect in narrative discourse. We examine in a formal model of implicature, how the reader's knowledge about the discourse, Gricean-maxims and causation contribute to the meaning of the pluperfect. By placing the analysis in a theory where the interactions among these knowledge resources can be precisely computed, we overcome some problems with previous Reichenbachian approaches.

20 [Fact Retrieval and Deductive Question-Answering Information Retrieval Systems](#)

William S. Cooper

April 1964 **Journal of the ACM (JACM)**, Volume 11 Issue 2





Full text available:  pdf(1.78 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Information Retrieval systems may be classified either as Document Retrieval systems or Fact Retrieval systems. It is contended that at least some of the latter will require the capability for performing logical deductions among natural language sentences. The problem of developing systems of logical inference for natural languages is discussed, and an example of such an analysis of a sublanguage of English is presented. An experimental Fact Retrieval system which incorporates this analysis ...

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.
[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)

Printed by EAST

UserID: DMariam
Computer: WS07216
Date: 6/8/05
Time: 4:42 PM

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
1	BRS	L1	1774	((geometr\$5 or graph\$5 or line\$1 or topolog\$6 or dstructur\$3) near\$5 pattern\$1) same (compar\$6 or match\$3 or similar\$5 or collat\$4) same (standard or known or model\$1 or template\$1 or prototype\$1)	USPAT	2005/06/08 14:31	
2	BRS	L2	368	1 same (pose\$1 or posture\$1 or position\$3 or attitude)	USPAT	2005/06/08 14:38	
3	BRS	L3	124	2 same imag\$3	USPAT	2005/06/08 14:33	
4	BRS	L4	31	3 same (shape\$1 or form or figure)	USPAT	2005/06/08 14:35	
5	BRS	L6	6	4 same ((input\$5 or source or test or run-time or runtime) near\$3 (image\$1 or pattern\$1))	USPAT	2005/06/08 14:36	
6	BRS	L5	5	4 same (edge\$4 or boundar\$3 or outline\$1)	USPAT	2005/06/08 14:37	
7	BRS	L7	2706	(pattern\$1 near\$3 (template\$1 or known or standard or model\$1)) and ((true or start\$3 or initial\$5 or begin\$5) near\$2 (pose\$1 or posture\$1 or position\$3 or attitude))	USPAT	2005/06/08 14:40	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
8	BRS	L8	180	(pattern\$1 near3 (templated\$1 or known or standard or model\$1)) same ((true or start\$3 or initial\$5 or begin\$5) near2 (pose\$1 or posture\$1 or position\$3 or attitude))	USPAT	2005/06/08 14:40	
9	BRS	L9	27	8 same (match\$3 or similar\$5)	USPAT	2005/06/08 14:40	
10	BRS	L10	3	9 same .imag\$3	USPAT	2005/06/08 14:41	
11	BRS	L11	9	(model\$1 near2 pattern\$1) same ((initial\$7 or start\$3 or begin\$4 or true) near3 (pose or posture or position))	USPAT	2005/06/08 14:56	
12	IS&R	L12	3938	(382/103,151,159,181,190,19 9,203,209,216,218,219,291) . CCLS.	USPAT	2005/06/08 15:00	
13	IS&R	L13	375	(382/149) .CCLS.	USPAT	2005/06/08 15:00	
14	IS&R	L14	332	(348/135) .CCLS.	USPAT	2005/06/08 15:01	
15	BRS	L16	0	9 and 14	USPAT	2005/06/08 15:01	
16	BRS	L17	0	9 and 13	USPAT	2005/06/08 15:01	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
17	BRS	L18	6552	geometr\$6 same (model\$1 or template\$1 or known or stored) same (match\$3 or similar\$6)	USPAT	2005/06/08 15:02	
18	BRS	L19	18	18 same pose	USPAT	2005/06/08 15:03	
19	BRS	L20	2	9 and 19	USPAT	2005/06/08 15:15	
20	BRS	L21	1797	((clear or true or correct or refin\$5 or clean or perfect or smooth) near2 (pose or posture or attitude))	USPAT	2005/06/08 16:33	
21	BRS	L22	127	21 same (match\$3 or similar\$5)	USPAT	2005/06/08 15:17	
22	BRS	L23	7	22 same (boundar\$3 or edge\$4 or outline\$1)	USPAT	2005/06/08 15:18	
23	BRS	L24	146	21 same imag\$3	USPAT	2005/06/08 15:18	
24	BRS	L25	3	1 and 24	USPAT	2005/06/08 15:20	
25	BRS	L26	37	(geometr\$6 near3 pattern\$1) same (match\$3 or similar\$5) same ((template\$1 or model\$1 or known or standard) near3 pattern\$1)	USPAT	2005/06/08 15:21	
26	BRS	L27	2	21 and 26	USPAT	2005/06/08 15:22	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
27	BRS	L28	195	21 same (error\$1 or noise\$1 or irregular\$5 or impur\$5)	USPAT	2005/06/08 15:23	
28	BRS	L29	195	21 same (clutter\$1 or claster\$1 or error\$1 or noise\$1 or irregular\$5 or impur\$5)	USPAT	2005/06/08 15:24	
29	BRS	L30	7	29 same (match\$3 near\$5 (pattern\$1 or image\$1))	USPAT	2005/06/08 15:24	
30	BRS	L31	3	1 same (train\$3 near\$3 image\$1)	USPAT	2005/06/08 16:31	
31	BRS	L32	6	21 and (geometr\$4 near\$2 pattern\$1)	USPAT	2005/06/08 16:35	
32	BRS	L33	59	2 same (boundar\$3 or edge\$3 or outline\$1)	USPAT	2005/06/08 16:35	
33	BRS	L34	24	33 same imag\$3	USPAT	2005/06/08 16:36	
34	BRS	L35	1	34 same train\$4	USPAT	2005/06/08 16:36	
35	BRS	L36	11	((geometr\$4 or polygon\$1 or curv\$2 or line\$1) near\$3 pattern\$1) same (model\$1 or template\$1 or known) same (pose or attitude or posture\$1) same imag\$3	USPAT	2005/06/08 16:37	
36	BRS	L37	6	12 and 36	USPAT	2005/06/08 16:37	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
37	BRS	L40	4	((pose or attitude or posture\$1) near2 refin\$6) same imag\$3 same (boundar\$3 or edge\$1)	USPAT	2005/06/08 16:41	